

**County of Sacramento  
Standard Construction Specifications  
January 1, 2008**

**TECHNICAL PROVISIONS**

**SECTION 31 - REINFORCEMENT**

31-1	GENERAL .....	31.1
31-2	MEASUREMENT AND PAYMENT .....	31.1

## **SECTION 31 REINFORCEMENT**

### **31-1 GENERAL**

Steel reinforcement shall conform to Section 52, "Reinforcement", of the State Specifications, and Section 50-32, "Reinforcing Steel", of these Specifications.

Reinforcing steel lists showing lengths and bending details shall be prepared by the Contractor and submitted to the Agency for approval. Such approval is intended only as an additional precaution against error, and does not relieve the Contractor of the responsibility for the accuracy of the steel reinforcement.

Existing reinforcing to be incorporated into new concrete shall be mechanically cleaned as directed by the Inspector. A minimum of one-inch (1") of existing rebar shall be exposed and cleaned, as directed by the Inspector, prior to incorporation into the new concrete.

### **31-2 MEASUREMENT AND PAYMENT**

Unless otherwise specified in the Special Provisions, reinforcement will not be measured or paid for separately.

Full compensation for furnishing and placing reinforcement as specified in these Specifications, including preparing and submitting reinforcing steel lists, is included in the prices paid for the various items of work involved, and no separate payment will be made.